L Number	Hits	Search Text	DB	Time stamp
1	2	6507908.pn.	USPAT; US-PGPUB; EPO; JPO;	2004/01/13 14:52
_	225	(key-cach\$3) or (key adj cach\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/08 17:30
_	126	(key-cach\$3) or (key adj cach\$3) and @ad<20000915	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/08 17:32
-	10	(key-cach\$3) or (key adj cach\$3) and (wireless) and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/08 17:33
-	9	((key-cach\$3) or (key adj cach\$3) and (wireless)) and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/08 17:33
-	7	((key-cach\$3) or (key adj cach\$3)) and (wireless) and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/08 17:34
-	3	((key-cach\$3) or (key adj cach\$3)) and (wireless) and (source adj address) and memory and header and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/08 17:35
_	3	((key-cach\$3) or (key adj cach\$3)) and (wireless) and (source adj address) and memory and (header and encryp\$4) and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 17:35
_	3	((key-cach\$3) or (key adj cach\$3)) and (wireless) and (source adj address) and memory and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08
-	7	((key-cach\$3) or (key with cach\$3)) and (wireless) and (source adj address) and memory and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 17:47
-	0	((key-cach\$3) or (key with cach\$3)) and (wireless) and ((source adj address) with header) and memory and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 17:40
-	14	((key-cach\$3) or (key with cach\$3)) and (source adj address) and memory and (header and encryp\$4) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/08 17:47
-	0	((key-cach\$3) or ((key or signature or value) with cach\$3)) and ((packet or datagram or header) same (encrypt\$4 and ("not" adj encrypt\$4))) and (header and encryp\$4) and ((source adj address) with cache)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 17:59

-	0	((key-cach\$3) or ((key or signature or	USPAT;	2004/01/08
		value) with cach\$3)) and ((packet or	US-PGPUB;	17:59
		datagram or header) same (encrypt\$4 and	EPO; JPO;	
		("not" adj encrypt\$4))) and (header and encryp\$4) and ((address) with cache)	DERWENT; IBM TDB	
1		and @ad<20000915	IDM_IDD	
_	0		USPAT;	2004/01/08
		value) with cach\$3)) and ((packet or	US-PGPUB;	17:59
		datagram or header) same (encrypt\$4 and	EPO; JPO;	
		("not" adj encrypt\$4))) and (header and	DERWENT;	
	_	encryp\$4) and @ad<20000915	IBM_TDB	
-	0	((packet or datagram or header) same	USPAT;	2004/01/08
		<pre>(encrypt\$4 and ("not" adj encrypt\$4))) and (header and encryp\$4) and ((source</pre>	US-PGPUB; EPO; JPO;	18:01
		adj address) with cache) and @ad<20000915	DERWENT;	
		adj dadzess / with eacherand ead 20000515	IBM TDB	
-	0	((packet or datagram or header) same	USPAT;	2004/01/08
		(encrypt\$4)) and ((source adj address)	US-PGPUB;	18:03
		with cache) and @ad<20000915	EPO; JPO;	
			DERWENT;	
	2007		IBM_TDB	2004/01/20
-	2927	((packet or datagram or header) same (encrypt\$4)) and @ad<20000915	USPAT; US-PGPUB;	2004/01/08
			EPO; JPO;	10:01
			DERWENT;	
			IBM TDB	
-	0	(\f=	USPĀT;	2004/01/08
		(encrypt\$4 and ("not" adj encrypt\$4)))	US-PGPUB;	18:02
		and @ad<20000915	EPO; JPO;	•
			DERWENT;	
_	2927	((packet or datagram or header) same	IBM_TDB USPAT;	2004/01/08
	2321	((packet or datagram or header) same (encrypt\$4)) and @ad<20000915	USPAT; US-PGPUB;	18:02
		(onorgett) , and cad above se	EPO; JPO;	1 20.02
			DERWENT;	
	1		IBM_TDB	
-	0	(\F	USPAT;	2004/01/08
		<pre>(encrypt\$4)) and ((source adj address) with cache) and @ad<20000915</pre>	US-PGPUB; EPO; JPO;	18:03
		with cache, and gad(20000913	DERWENT;	
			IBM TDB	
_	95	((packet or datagram or header) same	USPAT;	2004/01/08
		(encrypt\$4)) and ((address) with	US-PGPUB;	18:04
		cache) and @ad<20000915	EPO; JPO;	
			DERWENT;	
_	9255	((key-cach\$3) or ((key or signature or	IBM_TDB USPAT;	2004/01/08
	3233	((key-cach\$3) or ((key or signature or value) with cach\$3))((packet or datagram	US-PGPUB;	18:04
		or header) same (encrypt\$4)) and ((EPO; JPO;	' ' '
		address) with cache) and @ad<20000915	DERWENT;	
			IBM_TDB	
-	34		USPAT;	2004/01/08
		value) with cach\$3)) and ((packet or	US-PGPUB; EPO; JPO;	18:47
		datagram or header) same (encrypt\$4)) and ((address) with cache) and	DERWENT;	
		and ((address) with cathe) and @ad<20000915	IBM TDB	
-	565	• =	USPAT;	2004/01/08
		quick\$3) and @ad<20000915	US-PGPUB;	18:48
			EPO; JPO;	
			DERWENT;	
_	284	(address with cache with (fast\$3 or	IBM_TDB USPAT;	2004/01/09
-	204	quick\$3) and @ad<20000915) and	US-PGPUB;	2004/01/08 18:50
		(determin\$4 with address with cache) and	EPO; JPO;	10.00
		@ad<20000915	DERWENT;	
			IBM_TDB	
-	102		USPAT;	2004/01/08
		quick\$3) and @ad<20000915) and	US-PGPUB;	18:55
		((determin\$4 with address with cache) same (decryp\$4) (payload or packet or	EPO; JPO; DERWENT;	
		datagram)) and @ad<20000915	IBM TDB	
<u> </u>				

		-		
-	0	<pre>(address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (((determin\$4 or verify\$4 or check\$4) with address with (cache or ((local or active or fast or quick) adj (storage or memory)))) same ((decryp\$4) with (payload</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/08 19:09
-	0	or packet or datagram))) and @ad<20000915 (address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (((determin\$4 or verify\$4 or check\$4) with address with (cache or ((local or active or fast or quick) adj (storage or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/08
-	0	memory)))) same ((decryp\$4 or decipher\$4 or decod\$4) with (payload or packet or datagram))) and @ad<20000915 (address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (((determin\$4 or verify\$4 or check\$4) with address with (cache or ((local or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/08 19:10
_	1	active or fast or quick) adj (storage or memory)))) same ((decryp\$4 or decipher\$4 or decod\$4) same (payload or packet or datagram))) and @ad<20000915 (address with cache with (fast\$3 or quick\$3) and @ad<20000915) and (((determin\$4 or verify\$4 or check\$4) with address with (cache or ((local or	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/08 19:10
_	187657	active or fast or quick) adj (storage or memory)))) same ((decryp\$4 or decipher\$4 or decod\$4) and (payload or packet or datagram))) and @ad<20000915 cach\$4 and mobile or wireless or (cell adj phone) or (cellular adj phone)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/09 16:43
-	12336	cach\$4 and (mobile or wireless or (cell adj phone) or (cellular adj phone))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/09 16:43
_	1026	cach\$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 16:44
_	72	cach\$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 16:44
-	21	cach\$4 with (mobile or wireless or (cell adj phone) or (cellular adj phone)) and ((source or origin) adj address) and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 16:54
-	2	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with cach\$4) and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 16:58
-	14	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with (cach\$4 or memory)) and decrypt\$4 and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/09 16:59
-	102	(mobile or wireless or (cell adj phone) or (cellular adj phone)) and (((source or origin) adj address) with (cach\$4 or memory)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/09 17:48

-	9	("5790548" "5894479" "5946615" "6058431" "6128298" "6128664"	USPAT	2004/01/09 17:11
_	0	"6154839" "6188899" "6442616").PN. ep1299807.pn.	USPAT; US-PGPUB;	2004/01/09
-	0	ep1299807\$.did	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/09
-	0	ep1299807\$.did.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 17:50
-	1	ep-1299807\$.did.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:38
-	0	200201367.URPN.	IBM_TDB USPAT	2004/01/09
-	0	(source adj address) with "not" with memory with (drop\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	17:51 2004/01/09 18:21
_	0	(source adj address) with "not" with (memory or cache) with (drop\$4) with (packet or datagram)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:21
-	0	(source adj address) with "not" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 19:07
-	0	(address) with "not" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:22
-	0	"not" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:22
_	709	(memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:22
-	80	address with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:22
-	55	address with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram) and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:37
-	40	address with "not" or "miss\$4" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram) and @ad<20000915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/09 18:25

_	0	address with ("not" or "miss\$4") with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or	USPAT; US-PGPUB;	2004/01/09 18:25
		datagram) and @ad<20000915	EPO; JPO; DERWENT; IBM_TDB	
_	2	5999629.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/09 18:37
-	0	ep-0876027\$.did.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/01/09 18:39
-	0	ep-0876027.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/09 18:39
_	0	ep-876027.pn.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/09 18:39
_	2	ep-876027\$.did.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/01/09 18:39
_	0	((source adj address) or (access adj	EPO; JPO; DERWENT; IBM_TDB USPAT;	. 2004/01/09
		point) or station) with "not" with (memory or cache) with (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	19:08
-	0	((source adj address) or (access adj point) or station) with "not" with (memory or cache) same (drop\$4 or discard\$4 or reject\$4) with (packet or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12
_	59	datagram) ((source adj address) or (access adj point) or station) with (memory or cache) same (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 09:11
	8	((source adj address) or (access adj point) or station) with (cache) same (drop\$4 or discard\$4 or reject\$4) with (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 09:17
_	104	((source adj address) or (access adj point) or station) with (cache) same (packet or datagram)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12
_	54	((source adj address)) with (cache) same (packet or datagram)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12 10:05
-	12	((source adj address) or (origin near address) or (incoming adj address)) with (cache) same key	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12 10:31
_	1	((source adj address) or (origin near address) or (incoming adj address)) with ((cache) or (local adj memory)) same encryption	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/01/12 10:21
L	L		IBM TDB	L <u>.</u>

-	1	<pre>((source adj address) or (origin near address) or (incoming adj address)) with ((cache) or (local adj memory)) same encrypt\$4 and ((source adj address) or (origin near address) or (incoming adj address))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:30
-	285	encrypt\$4 and (hit with cache)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 10:30
-	126	encrypt\$4 and (hit with cache) and ((source adj address) or (access adj point) or station)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 10:33
-	16	encrypt\$4 and (hit with cache) and ((source adj address) or (access adj point) or station) and ((source adj address) or (origin near address) or (incoming adj address)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:36
-	40538	cache same (main adj memory) or (system adj memory) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 10:36
-	11765	cache same ((main adj memory) or (system adj memory)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 10:37
-	656	cache same ((main adj memory) or (system adj memory)) and ((source adj address) or (origin near address) or (incoming adj address)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/12 10:38
-	401	cache same ((main adj memory) or (system adj memory)) and (((source adj address) or (origin near address) or (incoming adj address)) same (match\$4 or compar\$4 or determin\$4 or correspond\$4 or associat\$4)) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:39
_	134	cache same ((main adj memory) or (system adj memory)) and (((source adj address) or (origin near address) or (incoming adj address)) same (match\$4 or compar\$4 or determin\$4 or correspond\$4 or associat\$4) same (cache or (local adj memory))) and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/13 11:49
_ : :	85	cache same ((main adj memory) or (system adj memory)) and (((source adj address) or (origin near address) or (incoming adj address)) same (match\$4 or compar\$4 or determin\$4 or correspond\$4 or associat\$4) same (cache or (local adj memory)) and (decrypt\$4 or decod\$4 or decipher\$4)and @ad<20000915	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 10:56
-	41	cache same ((main adj memory) or (system adj memory)) and (((source adj address)) same (match\$4 or compar\$4 or determin\$4 or correspond\$4 or associat\$4) same (cache or (local adj memory)) and (decrypt\$4 or decod\$4 or decipher\$4) and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:28
-	5	<pre>@ad<20000915 (key) with (match\$4 or compar\$4 or determin\$4 or correspond\$4 or associat\$4) with ((source adj address) or (origin near address) or (incoming adj address)) same (decrypt\$4 or decod\$4 or decipher\$4)and @ad<20000915</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 14:07

-	79	(cache) with (match\$4 or compar\$4 or	USPAT;	2004/01/12
		<pre>determin\$4 or correspond\$4 or associat\$4) with ((source adj address) or (origin</pre>	US-PGPUB; EPO; JPO;	14:08
		near address) or (incoming adj address)	DERWENT;	
) and @ad<20000915	IBM TDB	
-	30	(USPAT;	2004/01/12
		determin\$4 or correspond\$4 or associat\$4)	US-PGPUB;	17:16
		with ((source adj address)) and @ad<20000915	EPO; JPO; DERWENT;	
		644.2000313	IBM TDB	
_	53		USPAT;	2004/01/12
		determin\$4 or correspond\$4 or associat\$4)	US-PGPUB;	15:33
		with ((source adj address)) and @ad<20000915	EPO; JPO;	
		ead<20000915	DERWENT; IBM TDB	
	О	6526506.URPN.	USPAT	2004/01/12
				14:49
-	0	6526506.URPN.	USPAT	2004/01/12
	18	/#5200262# #5212521# #5515420#		14:49
-	10	("5299263" "5313521" "5515439" "5604801" "5726984" "5850444"	USPAT	2004/01/12
		"5875186" "5889861" "6016348"		14.45
		"6047066" "6052715" "6075860"		
		"6097817" "6101531" "RE36946"		
_	64	"6182214" "6373946" "6321095").PN. wireless and cache and decrypt\$4 and	IICDAM -	2004/01/12
-	64	((source adj address) or (access adj	USPAT; US-PGPUB;	15:23
i		point)) and @ad<20000915	EPO; JPO;	15.25
			DERWENT;	
	5.0		IBM_TDB	
-	58	wireless and cache and decrypt\$4 and ((source adj address) or (access adj	USPAT; US-PGPUB;	2004/01/12
		point)) and entry and @ad<20000915	EPO; JPO;	15:25
		France, , and cheeg and Guaracterist	DERWENT;	
			IBM_TDB	
-	128	cache and decrypt\$4 and ((source adj	USPAT;	2004/01/12
		address) or (access adj point)) and entry and @ad<20000915	US-PGPUB; EPO; JPO;	15:25
		and edd(20000515	DERWENT;	
			IBM_TDB	
-	45	cache and decrypt\$4 and ((source adj	USPAT;	2004/01/12
		address) or (access adj point)) and entry and ((system adj memory)or (main adj	US-PGPUB; EPO; JPO;	15:30
		memory)) and @ad<20000915	DERWENT;	
			IBM TDB	
-	10	cache and decrypt\$4 and ((source adj	USPĀT;	2004/01/12
		address) or (access adj point)) and	US-PGPUB;	15:32
		(entry with cache) and ((system adj memory)or (main adj memory)) and	EPO; JPO; DERWENT;	
		Memory for (Marn adj Memory) and @ad<20000915	IBM TDB	
-	57	(key or signature) with (match\$4 or	USPĀT;	2004/01/12
		compar\$4 or determin\$4 or correspond\$4 or	US-PGPUB;	15:35
-		associat\$4) with ((source adj address)) and @ad<20000915	EPO; JPO;	
			DERWENT; IBM TDB	
-	4	((key or signature) with (match\$4 or	USPĀT;	2004/01/12
		compar\$4 or determin\$4 or correspond\$4 or	US-PGPUB;	15:33
1		associat\$4) with ((source adj address)	EPO; JPO;	
) and @ad<20000915) not ((key) with (match\$4 or compar\$4 or determin\$4 or	DERWENT; IBM TDB	
1		correspond\$4 or associat\$4) with ((source	1011_100	
		adj address)) and @ad<20000915)		
-	6	(key or signature) same (match\$4 or	USPAT;	2004/01/12
		compar\$4 or determin\$4 or correspond\$4 or	US-PGPUB;	15:36
		associat\$4) with ((source adj address)) same cache and @ad<20000915	EPO; JPO; DERWENT;	
		,	IBM TDB	
-	11		USPĀT;	2004/01/12
	1	determin\$4 or correspond\$4 or associat\$4)	US-PGPUB;	17:39
		with ((source adj address)) and (cache same (drop\$4 or discard\$4 or	EPO; JPO; DERWENT;	
		fail\$4)) and @ad<20000915	IBM TDB	
				·

Search History 1/13/04 2:54:47 PM Page 7

	Tior Angera	1 (do		
-	19549652		USPAT;	2004/01/12
		packet or datagram))@ad<20000915	US-PGPUB;	17:40
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
-	19548522	(decrypt\$4 with (payload or body or	USPAT;	2004/01/12
		packet or datagram)) and (source adj	US-PGPUB;	17:42
	ļ	address) same (match\$4 or compar\$4 or	EPO; JPO;	
	i	determin\$4 or correspond\$4 or associat\$4	DERWENT;	
		or table) same (signature or key)	IBM TDB	
		@ad<20000915	_	1
-	18	(decrypt\$4 with (payload or body or	USPAT;	2004/01/12
		packet or datagram)) and (source adj	US-PGPUB;	17:43
	1	address) same (match\$4 or compar\$4 or	EPO; JPO;	
		determin\$4 or correspond\$4 or associat\$4	DERWENT;	
		or table) same (signature or key) and	IBM TDB	
		@ad<20000915	· –	
-	187	((source adj address) with (cache))	USPAT;	2004/01/13
			US-PGPUB;	10:16
		·	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	26	((source adj address) with (cache)	USPAT;	2004/01/13
		with entry)	US-PGPUB;	10:16
		_ ′	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	127	cache same ((main adj memory) or (system	USPAT;	2004/01/13
		adj memory)) and decrypt\$4 and (table or	US-PGPUB;	11:50
		list) and @ad<20000915	EPO; JPO;	,
}			DERWENT;	
			IBM TDB	
-	26	cache same ((main adj memory) or (system	USPAT;	2004/01/13
1		adj memory)) and decrypt\$4 and (table or	US-PGPUB;	11:50
		list) and (address same key) and	EPO; JPO;	
		@ad<20000915	DERWENT;	
			IBM TDB	
	1		1 1011 100	